

Exhibit B

DATE: [REDACTED]

TOPIC: 18D

CP 76

3 Pairs of Rats

with 3 TMS engine for 12 days

50% of 1000 (3) containers in 10 days

Rat and work

one 1000 container

2 Pairs → Pump install. at [REDACTED]

used 250 ml barrel

model 4291

→ 1000 ml container


new fill vol = 245 ml

new Pumping = 482 ml/hr


[REDACTED]

Proceed for Class


**C-fos Immunoreactivity in the Hypothalamus is modulated
by IBD and Oxytocin / Secretin Treatment**




cp76 IBD - Control - Untreated




Cp76 IBD - Experimental - Untreated




cp76 IBD - Control - Saline Treatment



cp76 IBD - Experimental - Saline Treatment




cp76 IBD - Control - Secretin / Oxytocin Treatment




cp76 IBD - Experimental - Secretin / Oxytocin Treatment


**C-fos Immunoreactivity in the Hypothalamus is modulated
by IBD and Oxytocin / Secretin Treatment**




cp76 **IBD - Control - Untreated**




Cp76 **IBD - Experimental - Untreated**




cp76 **IBD - Control - Saline Treatment**



cp76 **IBD - Experimental - Saline Treatment**




cp76 **IBD - Control - Secretin / Oxytocin Treatment**




cp76 **IBD - Experimental - Secretin / Oxytocin Treatment**


**C-fos Immunoreactivity in the Hypothalamus is modulated
by IBD and Oxytocin / Secretin Treatment**




cp76 **IBD - Control - Untreated**




Cp76 **IBD - Experimental - Untreated**




cp76 **IBD - Control - Saline Treatment**



cp76 **IBD - Experimental - Saline Treatment**



cp76 **IBD - Control - Secretin / Oxytocin Treatment**



cp76 **IBD - Experimental - Secretin / Oxytocin Treatment**